

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

	REVISIONS											
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED							
1		released for production.	3/26/2015	RJC	JAG							





NOTES: 1. REF. AGUSTA T/N: 895-3101-33-101. 2. PART OF KIT RBW895-3101-31-107.

DART

TITLE

SCALE

1:2

TOOL ASSY, STAKING

REV


SHEET 1 OF 4


DWG NO. RBW895-3101-33-101

DRAWN BY: DUERFELDT MAT'L UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/8
.XX ± .01 ANGLES ± .5°
.X ± .1 SPECIFICATIONS + 1/8
.X ± .1 SPECIFICATIONS + 1/8 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL AW109E/AW119

3/4/2015

	ASSY QTY	ASSY QTY	В/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				-]	1	PLUG	4140/4142		2
				-3	1	BASE	4140/4142		3
				-5	1	PIN	STEEL	Ø7/16 X 4 (MCMASTER-CARR #98381A683) MODIFIED	4





REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. ECR DESCRIPTION DATE INITIAL APPROVED - 3.55 -(Ø.438)P.F. -3 (.04 X 45°) .04 X 45°-TITLE TOOL ASSY, STAKING DWG NO. REV RBW895-3101-33-101-5 MAT'L STEEL DRAWN BY: DUERFELDT UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/8
.XX ± .01 ANGLES ± .5°
.X ± .1 SPEC. BLACK OXIDE (-5) 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL PIN AW109E/AW119 SCALE 3/4/2015 SHEET 4 OF 4